Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 32

NUMBER 38

SEPTEMBER 21, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Extra cantonment zone regulations—Regulations governing the sale of foodstuffs in the zone around Camp Dix, Wrightstown, N. J. 1505

The notifiable diseases—Prevalence during 1916 in States:

Anthrax, diphtheria, dengue, malaria, measles, meningitis, poliomyelitis, rabies in man, Rocky Mountain spotted fever, scarlet fever, septic sore throat, smallpox, tuberculosis (pulmonary), tuberculosis (all forms), typhoid fever, and typhus fever—Cases and deaths reported, indicated case rates per 1,000 population, indicated fatality rates per 100 cases, and indicated mortality rates of diphtheria, measles, scarlet fever, tuberculosis (pulmonary), tuberculosis (all forms), and typhoid fever, per 1,000 population 1506

PREVALENCE OF DISEASE.

United States:

Current State summaries—

California report for the week ended September 15, 1917 1532

Anthrax—

Massachusetts report for August, 1917 1532

Cerebrospinal meningitis—

State reports for August, 1917 1533

State reports for June and July, 1917 1533

City reports for week ended September 1, 1917 1533

Diphtheria—

Mississippi 1533

Erysipelas—

City reports for week ended September 1, 1917 1534

Leprosy—

Rhode Island—Providence 1534

Malaria—

State reports for August, 1917 1534

State reports for June and July, 1917 1535

City reports for week ended September 1, 1917 1536

Pellagra—

State reports for August, 1917 1536

Virginia report for July, 1917 1536

City reports for week ended September 1, 1917 1537

Pneumonia—

City reports for week ended September 1, 1917 1537

Poliomyelitis (infantile paralysis)—

Illinois—Chicago 1537

Massachusetts 1537

Vermont 1537

State reports for August, 1917 1538

State reports for June and July, 1917 1538

City reports for week ended September 1, 1917 1539

United States—Continued.
Smallpox— Page.
Minnesota 1539
Oregon—Portland—Correction 1539
State reports for June and August, 1917 1539
Miscellaneous State reports 1540
City reports for week ended September 1, 1917 1540
Tetanus—
City reports for week ended September 1, 1917 1540
Typhoid fever—
Indiana—South Bend—Outbreak 1540
Kansas—Leavenworth County 1541
Mississippi—Moselle 1541
Tennessee—Chattanooga and vicinity 1541
State reports for August, 1917 1542
State reports for June and July, 1917 1543
City reports for week ended September 1, 1917 1544
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for August, 1917 1545
State reports for June and July, 1917 1545
City reports for week ended September 1, 1917 1545
Foreign:
Cuba—
Communicable diseases—Habana 1549
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended September 21, 1917—
Cholera 1549
Plague 1550
Smallpox 1550
Typhus fever 1550
Yellow fever 1550
Reports received from June 30 to September 14, 1917—
Cholera 1551
Plague 1551
Smallpox 1553
Typhus fever 1555
Yellow fever 1556